












## 3G-4RGZ 3.5" WALL GRAZER

FLANGELESS, TRIM, TRIMLESS, GRID CEILING



**⚠ FOR NEW CONSTRUCTION INSTALLATION ONLY**

**ⓘ THE IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSES ONLY AND MAY NOT BE AN EXACT REPRESENTATION OF THE PRODUCT**

Fixture Types	Included Components				
4RGZ PROFILE	<b>Standalone Fixtures (2' to 8')</b>      	<b>Continuous Runs (9' to 16')</b>      	INDIVIDUAL J CHANNEL STARTER ENDER J CHANNEL		
<b>Continuous Runs (17' and longer)</b>			<b>Non-Illuminated End Fillers (OPTIONAL)</b>		
  STARTER JOINER ENDER J-CHANNEL			  END FILLER		



Instruction Key	Information
 ADDITIONAL	<ul style="list-style-type: none"><li>• INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN</li><li>• REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION</li><li>• FAILURE TO FOLLOW INSTALLATION INSTRUCTIONS MAY VOID THE WARRANTY</li><li>• DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS</li><li>• TURN OFF POWER DURING INSTALLATION OR SERVICING</li><li>• CONTRACTOR IS RESPONSIBLE FOR REINFORCING WALLS/CEILINGS TO SUPPORT FIXTURE WEIGHT</li><li>• 3G LIGHTING DOES NOT ACCEPT RESPONSIBILITY FOR INADEQUATELY REINFORCED WALLS/CEILINGS</li></ul>
 ATTENTION	
 POWER ON	
 POWER OFF	

## OVERVIEW

## 3G-4RGZ - FLANGELESS (FX)

## CEILING CUTOUT



Fixture Type	Width	Length
3G-4RGZ	4.00"	Length + 0.125"



## **3G-4RGZ - TRIM FLANGE (WT)**

## CEILING CUTOUT

Fixture Type	Width	Length
<b>3G-4RGZ</b>	4.10"	Length + 0.380"




## OVERVIEW


### 3G-4RGZ - TRIMLESS (XTR)

#### CEILING CUTOUT

Fixture Type	Width	Length
3G-4RGZ	4.25"	Length + 0.500"



#### THREADED ROD LOCATION




#### THREADED ROD LOCATION

3'	32.5"	6'	68.5"
4'	44.5"	7'	80.5"
5'	56.5"	8'	92.5"

#### IDENTIFICATION AND PREPARATION

##### ID LABEL

SECTION: 01 OF 03
TYPE: XX XX CO-0000



##### ID LABEL






SECTION: 01 OF 03
TYPE: XX XX CO-0000

ORDER TYPE ORDER NUMBER SECTION ID NUMBER


IDENTIFY FIXTURE SECTIONS BY THE ID LABELS FOUND ON THE BOX INSIDE THE SECTIONS

## OVERVIEW



## GRID CEILING MOUNTING TYPES

**9L** - 9/16" LAYIN**9TG** - 9/16" TEGULAR**15L** - 15/16" LAYIN**15TG** - 15/16" TEGULAR**9ST** - 9/16" SLOT TEE  
TEGULAR

## MEASURE HEIGHT



## MOUNTING J-CHANNEL




**i** ENSURE WALL IS STRAIGHT AND LEVEL


**i** USE APPROPRIATE STEEL CUTTING BLADE OR HAND TOOL TO CUT END FILLER CHANNEL

STARTER


1 IF APPLICABLE: REMOVE END FILLER




2




3




4




5 CONNECTING JOINERS




5A









6








7




## CONNECTING ENDER








**DRIVER SERVICING****1**

REMOVE LED HOUSING FROM FIXTURE


**2**

DISCONNECT QUICK-CONNECT CABLE FROM LED HOUSING


**3****4**

**LED SERVICING****1**


REMOVE OLD LED HOUSING FROM FIXTURE

**2**

DISCONNECT QUICK-CONNECT CABLE FROM OLD LED HOUSING

**3**

CONNECT QUICK-CONNECT CABLE TO NEW LED HOUSING

**4**

SECURE NEW LED HOUSING TO FIXTURE