

3G-1RLI-WC, 3G-2RLI-WC, and 3G-4RLI-WC 1.5", 2", and 3.5" RECESSED LINIA WALL TO CEILING

GRID CEILING




- ⚠ FOR **NEW CONSTRUCTION** INSTALLATION ONLY
- (i) THE IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSES ONLY AND MAY NOT BE AN EXACT REPRESENTATION OF THE PRODUCT


FIXTURE TYPES			INCLUDED COMPONENTS
1RLI PROFILE	2RLI PROFILE	4RLI PROFILE	CEILING SECTION(S) WALL SECTION(S) LENS


INSTRUCTION KEY	INFORMATION			
↑ ADDITIONAL	INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN			
ATTENTION	REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION			
	FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY			
POWER ON	DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS			
POWER OFF	TURN OFF POWER DURING INSTALLATION OR SERVICING			




OVERVIEW











INSTALLATION INSTRUCTIONS


ASYMMETRIC LENS ORIENTATION







MOUNTING TYPES & T-BAR WIDTH










INSTALLATION INSTRUCTIONS













































LED SERVICING

