

# 3G-2RLI-WC, and 3G-4RLI-WC 2", and 3.5" RECESSED LINIA WALL TO CEILING

TRIMLESS FLANGE




- ⚠ FOR **NEW CONSTRUCTION** INSTALLATION ONLY
- (i) THE IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSES ONLY AND MAY NOT BE AN EXACT REPRESENTATION OF THE PRODUCT


FIXTURE TYPES	INCLUDED COMPONENTS
2RLI PROFILE  4RLI PROFILE	CEILING SECTION(S)  WALL SECTION(S)  LENS

INSTRUCTION KEY	INFORMATION
↑ ADDITIONAL	INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN
(i) ATTENTION	REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION
T ATTENTION	FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY
POWER ON	DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICA L STRESS OR DEBRIS
POWER OFF	TURN OFF POWER DURING INSTALLATION OR SERVICING




#### **OVERVIEW**






TRIMLESS - XTR - CEILING CUT-OUT DIMENSIONS

FIXTURE TYPE	WIDTH	LENGTH
3G-2RLI	2.500"	LENGTH + 0.500"
3G-4RLI	3.930"	LENGTH + 0.500"



#### **BLOCKING SUPPORT SPACING**

FIXTURE TYPE	MIN. DISTANCE	MAX DISTANCE
3G-2RLI	2.50"	2.80"
3G-4RLI	3.96"	4.26"




TRIMLESS - XTR - WALL CUT-OUT DIMENSIONS

FIXTURE TYPE	WIDTH	LENGTH
3G-2RLI	2.500"	LENGTH + 0.500"
3G-4RLI	3.930"	LENGTH + 0.500"

# **3G-2RLI-WC, and 3G-4RLI-WC 2" and 3.5" RECESSED LINIA WALL TO CEILING**TRIMLESS FLANGE


**INSTALLATION INSTRUCTIONS** 

#### **OVERVIEW**






FIXTURE TYPE	WIDTH	LENGTH
3G-2RLI	2.063"	LENGTH + 0.125"
3G-4RLI	3.490"	LENGTH + 0.125"





INSTALLATION INSTRUCTIONS




#### ASYMMETRIC LENS ORIENTATION
















































### **INSTALLATION INSTRUCTIONS**





















## LED SERVICING

