




## 3G-2WLI and 3G-4WLI 2", and 3.5" WALL LINIA

DIRECT  
DIRECT/INDIRECT




**FOR NEW CONSTRUCTION INSTALLATION ONLY**

Fixture Types	Included Components			
2WLI PROFILE				
4WLI PROFILE				
Continuous Runs (9' to 16')				
Standalone Fixtures (2' to 8')				
Continuous Runs (17' and longer)				
Wall Mount Components				


Instruction Key	Information
ADDITIONAL	INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION
ATTENTION	FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY
POWER ON	DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS
POWER OFF	TURN OFF POWER DURING INSTALLATION OR SERVICING

**OVERVIEW**

3G - 2WLI, 4WLI







**STARTER SECTION VIEW**







### ASYMMETRIC LENS ORIENTATION

#### 3G - 3G-2WLI - ASYMMETRIC LENS



#### 3G - 4WLI - ASYMMETRIC LENS/REFLECTOR ORIENTATION




### WALL BRACKET LOCATIONS

#### FOR STANDALONE FIXTURES



#### FOR CONTINUOUS RUNS



**WALL BRACKETS ARE CENTERED BETWEEN ALL JOINED SECTIONS**

### IDENTIFICATION AND PREPARATION

#### ID LABEL

SECTION: 01 OF 03

TYPE: XX XX CO-0000

ORDER TYPE ORDER NUMBER SECTION ID NUMBER

**IDENTIFY FIXTURE SECTIONS BY THE ID LABELS FOUND ON THE BOX INSIDE THE SECTIONS**

#### ID LABEL

SECTION: 01 OF 03









TYPE: XX XX CO-0000




STARTER

JOINER









ENDER




INSTALLING JOINER/ENDER




**i** FOR RGBW REFLECTOR REMOVAL - SEE PAGE 6



15




16




*FOR ASYMMETRIC LENS SEE PAGE 2*

1 **3GB** REFLECTOR REMOVAL FOR RGBW




2



*EACH REFLECTOR HAS 4 CLIPS TO UNLATCH*


3




*REFLECTORS SECURED TO HOUSING WITH SAFETY CABLES*

## DRIVER SERVICING


### 1 FLUSH LENS REMOVAL




### 2




### 2A DROP LENS REMOVAL




### 3




### 4




### 5




### 6






### 7












### 8



**DRIVER SERVICING**

## LED SERVICING



## LED SERVICING

