




















3G-1SLI
1.5" SURFACE LINIA











 FOR **NEW CONSTRUCTION** INSTALLATION ONLY








FIXTURE TYPES		INCLUDED COMPONENTS	
<p>1SLI PROFILE</p> 		<p>Standalone Fixtures (2' to 8')</p>  <p>INDIVIDUAL LENS</p>	<p>Continuous Runs (9' to 16')</p>  <p>STARTER ENDER LENS</p>
		<p>Continuous Runs (17' and longer)</p>  <p>STARTER JOINER ENDER LENS</p>	

INSTRUCTION KEY	INFORMATION
 ADDITIONAL	INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS TURN OFF POWER DURING INSTALLATION OR SERVICING
 ATTENTION	
 POWER ON	
 POWER OFF	





DRIVER SERVICING



LED SERVICING - DIRECT

