

















**3G-1SLI, 3G-2SLI and 3G-4SLI**  
**1.5", 2", and 3.5" SURFACE LINIA**












⚠ FOR NEW CONSTRUCTION INSTALLATION ONLY

FIXTURE TYPES			INCLUDED COMPONENTS	
<p>1WLI PROFILE</p> 	<p>2WLI PROFILE</p> 	<p>4WLI PROFILE</p> 	<p><b>Standalone Fixtures (2' to 8')</b></p>  <p>INDIVIDUAL      LENS</p>	<p><b>Continuous Runs (9' to 16')</b></p>  <p>STARTER      ENDER      LENS</p>
<p><b>Continuous Runs (17' and longer)</b></p>  <p>STARTER      JOINER      ENDER      LENS</p>				


INSTRUCTION KEY	INFORMATION
⚠ ADDITIONAL	INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN
i ATTENTION	REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION
⚡ POWER ON	FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY
⚡ POWER OFF	DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS
	TURN OFF POWER DURING INSTALLATION OR SERVICING






**DRIVER SERVICING**


**1 FLUSH LENS REMOVAL**




**2**




**2A DROP LENS REMOVAL**




**3**




**4**




**5**




**6**



**7**




**8**




**DRIVER SERVICING**

**1 3GB REFLECTOR REMOVAL FOR RGBW**




**2**












**i** EACH REFLECTOR HAS 4 CLIPS TO UNLATCH

**3**



**i** REFLECTORS SECURED TO HOUSING WITH SAFETY CABLES

**LED SERVICING**



**LED SERVICING**

