




## 3Gi-1RSL 1.5" INTEGRATED RECESSED SLOT

GRID CEILING



**⚠ FOR NEW CONSTRUCTION INSTALLATION ONLY**


**ⓘ THE IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSES ONLY AND MAY NOT BE AN EXACT REPRESENTATION OF THE PRODUCT**

FIXTURE TYPES	INCLUDED COMPONENTS		
1RLI PROFILE		<b>Standalone Fixtures (2' to 8')</b>  INDIVIDUAL	<b>Continuous Runs (9' to 16')</b>  STARTER      ENDER      LENS
<b>Continuous Runs (17' and longer)</b>	 STARTER      JOINER      ENDER      LENS	<b>INTEGRATED OPTIONS</b> <b>3G-1RSL</b> NON ILLUMINATED 1.5" LINIA ZOIE WALL WASH ZOIE <b>3G-2RSL</b> 2" LINIA 1" DOWNLIGHT <b>3G-4RSL</b> 3.5" LINIA ADJUSTABLE ZOIE MICRO MADISON 2" DOWNLIGHT	


INSTRUCTION KEY	INFORMATION
	ADDITIONAL INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION
	ATTENTION FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY
	POWER ON DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS
	POWER OFF TURN OFF POWER DURING INSTALLATION OR SERVICING

OVERVIEW


3Gi-1RSL - GRID CEILING - GCX




GRID CEILING FLANGE - GCX




3Gi-1RSL MOUNTING BRACKET




FOLD FOR 15" TEE BAR




FOLD FOR 9" TEE BAR




**i** UNIVERSAL MOUNTING BRACKET FOR ALL GRID CEILING TYPES



ASYMMETRIC LENS ORIENTATION




**3Gi-1RSL MOUNTING BRACKET LOCATION**



**i** APERTURE = (LENGTH - 1.085") APPLIED ONLY ON STARTER SECTION OR STANDALONE FIXTURE.


**IDENTIFICATION AND PREPARATION**











**i** IDENTIFY FIXTURE SECTIONS BY THE ID LABELS FOUND ON THE BOX INSIDE THE SECTIONS

**ID LABEL**


SECTION: 01 OF 03
TYPE: XX XX CO-0000




**MOUNTING TYPES & T-BAR WIDTH****3Gi-1RSL-GCX****9L - 9/16" LAYIN****9TG - 9/16" TEGULAR****9TP - 9/16" TEGULAR****15L - 15/16" LAYIN****15TG - 15/16" TEGULAR****15TP - 15/16" TEGULAR****9ST - 9/16" SLOT TEE TEGULAR**



7




8




**i** LEVEL FIXTURES BEFORE ENGAGING HOOK & LATCH MECHANISM

9




**!** CONNECT LINIA WIRING CONNECTOR BETWEEN SECTIONS IF APPLICABLE

**10A** ZOIE INSTALLATION




**i** RECONNECT ALL ZOIE ASSEMBLIES

**10B**








CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY

**10C**




## ZOIE SERVICING




## DRIVER SERVICING


## 1 FLUSH LENS REMOVAL




2




3




4




5



6



7



## LED SERVICING - DIRECT

