




## 3Gi-2RSL, and 3Gi-4RSL 2", and 3.5" INTEGRATED RECESSED SLOT

TRIMLESS FLANGE



**⚠ FOR NEW CONSTRUCTION INSTALLATION ONLY**


**ⓘ THE IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSES ONLY AND MAY NOT BE AN EXACT REPRESENTATION OF THE PRODUCT**

Fixture Types	Included Components
3Gi-2RSL	Standalone Fixtures (2' to 8')
3Gi-4RSL	Continuous Runs (9' to 16')
	INDIVIDUAL      LENS
	STARTER      ENDER      LENS
Continuous Runs (17' and longer)	INTEGRATED OPTIONS
STARTER      JOINER      ENDER      LENS	<b>3G-1RSL</b> NON ILLUMINATED 1.5" LINIA ZOIE WALL WASH ZOIE  <b>3G-2RSL</b> 2" LINIA 1" DOWNLIGHT  <b>3G-4RSL</b> 3.5" LINIA ADJUSTABLE ZOIE MICRO MADISON 2" DOWNLIGHT


INSTRUCTION KEY	INFORMATION
⚠ ADDITIONAL	INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION
ⓘ ATTENTION	FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY
⚡ POWER ON	DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS
⚡ POWER OFF	TURN OFF POWER DURING INSTALLATION OR SERVICING

**OVERVIEW**

**3Gi-2RSL ,4RSL - TRIMLESS - XTR**




**TRIMLESS - XTR**





**TRIMLESS - XTR - CEILING CUT-OUT DIMENSIONS**

Fixture Type	Width	Length
3Gi-2RSL	2.500"	LENGTH + 0.500"
3Gi-4RSL	3.930"	LENGTH + 0.500"





### ASYMMETRIC LENS ORIENTATION

#### 3Gi-2RSL-ASYMMETRIC LENS





#### WALL GRAZING DISTRIBUTION





#### 3Gi-4RSL-ASYMMETRIC LENS/REFLECTOR ORIENTATION

##### ROOM SIDE DISTRIBUTION




##### WALL GRAZING DISTRIBUTION




#### ID LABEL

SECTION: 01 OF 03  
TYPE: XX XX CO-0000



#### THREADED ROD LOCATION



#### THREADED ROD LOCATION

3'	31"	6'	67"
4'	43"	7'	79"
5'	55"	8'	91"

#### IDENTIFICATION AND PREPARATION


##### ID LABEL

SECTION: 01 OF 03  
TYPE: XX XX CO-0000

ORDER TYPE ORDER NUMBER SECTION ID NUMBER


IDENTIFY FIXTURE SECTIONS BY THE ID LABELS FOUND ON THE BOX INSIDE THE SECTIONS

**1A** DOWNLIGHT REMOVAL




**i** REMOVE DOWNLIGHT ASSEMBLIES FROM START AND END OF ALL SECTIONS WHERE APPLICABLE

**1A**




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY

**1A** ZOIE REMOVAL




**i** REMOVE DOWNLIGHT ASSEMBLIES FROM START AND END OF ALL SECTIONS WHERE APPLICABLE

**1B**




**i** PULL ON HANDLES TO REMOVE ZOIE ASSEMBLY

**1B**




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY


**2** FIXTURE INSTALLATION



**3**




**3A** **i** IF APPLICABLE:
















USE DOUBLE FEED CONNECTOR (BY OTHERS) FOR DUAL CIRCUIT

**4**




**i** FOR 3Gi-4RSL-DASY FIXTURES SEE PAGE 3 BEFORE MOUNTING






## DRIVER SERVICING


### 1 FLUSH LENS REMOVAL




### 2




### 2A DROP LENS REMOVAL




### 3




### 4




### 5




### 6



### 7




### 8




**i** FOR ASYMMETRIC LENS SEE ASYMMETRIC LENS ORIENTATION (PAGE 3)

**LINIA SERVICING**


**1 FLUSH LENS REMOVAL**




**2**




**2A**




**3**




**4**




**5**




**6**




**7**




**8**



## LED SERVICING







**9**

 TUCK WIRES BACK INTO SLOTS AS SHOWN

**10**

 FOR ASYMMETRIC LENS SEE ASYMMETRIC LENS ORIENTATION (PAGE 3)

## DLIGHT SERVICING



## ZOIE SERVICING

