



2" ROUND WALL WASH DOWNLIGHT TRIMLESS




THE IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSES ONLY AND MAY NOT BE AN EXACT REPRESENTATION OF THE PRODUCT

INCLUDED COMPONENTS


NCF - NEW CONSTRUCTION FRAME (FOR NEW CONSTRUCTION ONLY)




MUDDING FLANGE




LED ASSEMBLY



DRIVER ENCLOSURE



NEW CONSTRUCTION FRAME




BAR HANGERS




SUCTION CUP


NC - NEW CONSTRUCTION HOUSING (FOR NEW CONSTRUCTION ONLY)




MUDDING FLANGE



LED ASSEMBLY



NEW CONSTRUCTION HOUSING




BAR HANGERS




SUCTION CUP


RMD - REMODEL



MUDDING FLANGE



LED ASSEMBLY



DRIVER ENCLOSURE




SUCTION CUP

INSTRUCTION KEY	INFORMATION
⚠	ADDITIONAL
i	ATTENTION
⚡	POWER ON
⏻	POWER OFF
INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS TURN OFF POWER DURING INSTALLATION OR SERVICING	


RMD - REMODEL

1




FIXTURE TYPE	CEILING HOLE SIZE
DL20RWW	Ø 2.625"

2



REMOVE LID AND KNOCKOUT FROM DRIVER ENCLOSURE

3




WIRING LEGEND

BLACK	HOT/LINE
WHITE	NEUTRAL
GREEN	GROUND
ORANGE	(DIM-)
PURPLE	(DIM+)


CONNECT CONDUIT TO DRIVER ENCLOSURE AND MAKE WIRING CONNECTIONS

4




SECURE LID ONTO DRIVER ENCLOSURE AND INSERT INTO CEILING

5




PLACE DRIVER ENCLOSURE ABOVE CEILING

6A




SECURE MUDDING FLANGE TO CEILING

6B




APPLY MUDDING COMPOUND (BY OTHERS) TO CEILING

7A












7B




CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY










NCF - NEW CONSTRUCTION FRAME (FOR NEW CONSTRUCTION ONLY)




NCF - NEW CONSTRUCTION FRAME (FOR NEW CONSTRUCTION ONLY)







NC/IC - NEW CONSTRUCTION HOUSING (FOR NEW CONSTRUCTION ONLY)



NC/IC - NEW CONSTRUCTION HOUSING (FOR NEW CONSTRUCTION ONLY)




LED SERVICING




DRIVER SERVICING

1 RMD - REMODEL




 DISCONNECT POWER BEFORE SERVICING

2A




REMOVE LED ASSEMBLY FROM CEILING WITH PROVIDED SUCTION CUP

2B




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY

3




4




DRIVER SERVICING

1 NCF - NEW CONSTRUCTION FRAME




⚠️ DISCONNECT POWER BEFORE SERVICING

2A




REMOVE LED ASSEMBLY FROM CEILING WITH PROVIDED SUCTION CUP

2B




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY

3



PULL ON SAFETY CABLE TO REMOVE DRIVER BOX FROM CEILING


4



DRIVER


DRIVER SERVICING

1 NC - NEW CONSTRUCTION HOUSING




DISCONNECT POWER BEFORE SERVICING

2A SAFETY CABLE CEILING CUTOUT LED ASSEMBLY QUICK-CONNECT CABLE SUCTION CUP




REMOVE LED ASSEMBLY FROM CEILING WITH PROVIDED SUCTION CUP

2B




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY

3A



PULL ON SAFETY CABLE TO REMOVE DRIVER BOX FROM CEILING

3B



DISCONNECT 5-WIRE CONNECTOR

4

