

3.3”/4.0" SQUARE ADJUSTABLE DOWNLIGHT

TRIMLESS




INCLUDED COMPONENTS

RMD - REMODEL




MUDDING FLANGE | DRIVER ENCLOSURE | CEILING PLATE | LED ASSEMBLY | INSERT ASSEMBLY

NCF - NEW CONSTRUCTION FRAME (FOR NEW CONSTRUCTION ONLY)




MUDDING FLANGE | NEW CONSTRUCTION FRAM | BAR HANGERS | LED ASSEMBLY | INSERT ASSEMBLY

SH - SHALLOW HOUSING (FOR NEW CONSTRUCTION ONLY)



MUDDING FLANGE | SHALLOW HOUSING | BAR HANGERS | LED ASSEMBLY | INSERT ASSEMBLY

NC/IC - NEW CONSTRUCTION HOUSING (FOR NEW CONSTRUCTION ONLY)



MUDDING FLANGE | NEW CONSTRUCTION HOUSING | BAR HANGERS (OPTIONAL) | LED ASSEMBLY | INSERT ASSEMBLY

INSTRUCTION KEY	INFORMATION
⚠ ADDITIONAL ⓘ ATTENTION ⚡ POWER ON ⚡ POWER OFF	INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS TURN OFF POWER DURING INSTALLATION OR SERVICING


3G LIGHTING

3.3”/4.0" SQUARE ADJUSTABLE DOWNLIGHT
TRIMLESS

INSTALLATION INSTRUCTIONS


RMD - REMODEL

1




FIXTURE TYPE	CEILING HOLE SIZE
DL33SA	3.9375 x 3.9375
DL40SA	5.0625 x 5.0625


2



3




4



REMOVE LID AND KNOCKOUT FROM DRIVER ENCLOSURE

5




WIRING LEGEND

BLACK	HOT/LINE
WHITE	NEUTRAL
GREEN	GROUND
ORANGE	(DIM-)
PURPLE	(DIM+)


CONNECT CONDUIT TO DRIVER ENCLOSURE AND MAKE WIRING CONNECTIONS

6




SECURE LID ONTO DRIVER ENCLOSURE AND PLACE ABOVE CEILING


7



8




9



APPLY MUDDING COMPOUND (BY OTHERS) TO CEILING


RMD - REMODEL

10




REMOVE 4 SCREWS FROM TRIM ASSEMBLY

11




11A




CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY

12




RMD - REMODEL WITH REMOTE DRIVER ENCLOSURE

1 REMOTE DRIVER WIRING



FOR REMOTE EMR DRIVER BOX, MAKE WIRED CONNECTIONS INSIDE PROVIDED LED CONNECTION ENCLOSURE

2



MAKE WIRING CONNECTIONS


3G LIGHTING

3.3"/4.0" SQUARE ADJUSTABLE DOWNLIGHT
TRIMLESS


INSTALLATION INSTRUCTIONS

NCF - NEW CONSTRUCTION FRAME (FOR NEW CONSTRUCTION ONLY)

1




2




SECURE BAR HANGERS IN PLACE WITH SCREW

3




BAR HANGERS HAVE 14" to 26" EXTENSION

4



REMOVE ELECTRICAL BOX LID TO ACCESS WIRING

5




WIRING LEGEND

BLACK	HOT/LINE
WHITE	NEUTRAL
GREEN	GROUND
ORANGE	(DIM-)
PURPLE	(DIM+)


MAKE WIRING CONNECTIONS

6 FOR INTEGRATED BATTERY ONLY




ACCESS ABOVE CEILING REQUIRED FOR BATTERY SERVICING

6A



REMOVE BATTERY BOX COVER TO ACCESS WIRING

7




EMB WIRING LEGEND

RED	UNSWITCHED HOT
BLACK	SWITCHED HOT
WHITE	NEUTRAL
GREEN	GROUND
ORANGE	(DIM-)
PURPLE	(DIM+)

MAKE WIRING CONNECTIONS

8




FIXTURE TYPE	CEILING HOLE SIZE
DL33SA	3.9375 x 3.9375
DL40SA	5.0625 x 5.0625


INSTALL CEILING BELOW FIXTURE

NCF - NEW CONSTRUCTION FRAME (FOR NEW CONSTRUCTION ONLY)


9



10




11




APPLY MUDDING COMPOUND (BY OTHERS) TO CEILING

12




REMOVE 4 SCREWS FROM TRIM ASSEMBLY

13




13A




CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY

14




NC/IC - NEW CONSTRUCTION HOUSING (FOR NEW CONSTRUCTION ONLY)


1 BAR HANGER INSTALLATION
(IF SUPPLIED BY 3G)



1A




2 OTHER BAR HANGER INSTALLATION
(NOT PROVIDED BY 3G)




BUTTERFLY BRACKET
SIDE VIEW

3



REMOVE ELECTRICAL BOX KNOCKOUT LID TO ACCESS WIRING

4




WIRING LEGEND

BLACK	HOT/LINE
WHITE	NEUTRAL
GREEN	GROUND
ORANGE	(DIM-)
PURPLE	(DIM+)

MAKE WIRING CONNECTIONS


5




FIXTURE TYPE	CEILING HOLE SIZE
DL33SA	3.9375 x 3.9375
DL40SA	5.0625 x 5.0625

INSTALL CEILING BELOW FIXTURE


6



7




8



APPLY MUDDING COMPOUND (BY OTHERS) TO CEILING


NC/IC - NEW CONSTRUCTION HOUSING (FOR NEW CONSTRUCTION ONLY)

9




REMOVE 4 SCREWS FROM TRIM ASSEMBLY

10




10A



CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY

11




3G LIGHTING

3.3”/4.0" SQUARE ADJUSTABLE DOWNLIGHT
TRIMLESS


INSTALLATION INSTRUCTIONS

SH - SHALLOW HOUSING (FOR NEW CONSTRUCTION ONLY)

1




2




SECURE BAR HANGERS IN PLACE WITH SCREW

3




4



REMOVE ELECTRICAL BOX KNOCKOUT LID TO ACCESS WIRING

5




WIRING LEGEND

BLACK	HOT/LINE
WHITE	NEUTRAL
GREEN	GROUND
ORANGE	(DIM-)
PURPLE	(DIM+)

MAKE WIRING CONNECTIONS


6




FIXTURE TYPE	CEILING HOLE SIZE
DL33SA	3.9375 x 3.9375
DL40SA	5.0625 x 5.0625

INSTALL CEILING BELOW FIXTURE


7



8




9



APPLY MUDDING COMPOUND (BY OTHERS) TO CEILING


SH - SHALLOW HOUSING (FOR NEW CONSTRUCTION ONLY)

10




REMOVE 4 SCREWS FROM TRIM ASSEMBLY

11




11A




CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY

12




LED ADJUSTMENT

1




LIFT LENS AND DETATCH INSERT FROM ADAPTER RING

1A




2 ANGLE ADJUSTMENT




BOTTOM VIEW

TURN SCREW TO ADJUST LED ANGLE

2A



3 ROTATION ADJUSTMENT




BOTTOM VIEW

LOOSEN SCREW TO UNLOCK LED ASSEMBLY ROTATION


LED SERVICING

1




LIFT LENS AND DETATCH INSERT FROM ADAPTER RING

1A




2




REMOVE 4 SCREWS TO DETATCH LED ASSEMBLY FROM CEILING

2A




3




DISCONNECT QUICK-CONNECT CABLE FROM LED ASSEMBLY


4



TWIST REFLECTOR TO REMOVE


5






DRIVER SERVICING

1 **RMD -** REMODEL




DISCONNECT POWER BEFORE SERVICING

2




LIFT LENS AND DETATCH INSERT FROM ADAPTER RING

2A




3




REMOVE 4 SCREWS TO DETATCH LED ASSEMBLY FROM CEILING

3A




4




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY

4A




5




DRIVER SERVICING

1 **NCF -** NEW CONSTRUCTION FRAME




DISCONNECT POWER BEFORE SERVICING

2




LIFT LENS AND DETATCH INSERT FROM ADAPTER RING

2A




3




REMOVE 4 SCREWS TO DETATCH LED ASSEMBLY FROM CEILING

4




5




DISCONNECT QUICK-CONNECT CABLE FROM LED ASSEMBLY


6




7



8




9



DISCONNECT 5-WIRE CONNECTOR


10 **NCF -** NEW CONSTRUCTION FRAME FOR INTEGRATED BATTERY ONLY

THIS UNIT UTILIZES MORE THAN ONE POWER SOURCE
DISCONNECT ALL POWER SOURCES BEFORE SERVICING



ACCESS ABOVE CEILING REQUIRED FOR DRIVER SERVICING


11



REMOVE BATTERY BOX COVER TO ACCESS WIRING


DRIVER SERVICING

1 **SH -** SHALLOW HOUSING




DISCONNECT POWER BEFORE SERVICING

2




LIFT LENS AND DETATCH INSERT FROM ADAPTER RING

2A




3




REMOVE 4 SCREWS TO DETATCH LED ASSEMBLY FROM CEILING

4




5




DISCONNECT QUICK-CONNECT CABLE FROM LED ASSEMBLY

6




REMOVE DRIVER - SECURED WITH HOOK-AND-LOOP FASTENER

7




8



DISCONNECT 5-WIRE CONNECTOR


DRIVER SERVICING

1 **NC/iC -** NEW CONSTRUCTION HOUSING




DISCONNECT POWER BEFORE SERVICING

2




LIFT LENS AND DETATCH INSERT FROM ADAPTER RING

2A




3




REMOVE 4 SCREWS TO DETATCH LED ASSEMBLY FROM CEILING

4




5




DISCONNECT QUICK-CONNECT CABLE FROM LED ASSEMBLY


6




7



8



9



DISCONNECT 5-WIRE CONNECTOR