


























3.3"/4.0" SQUARE ADJUSTABLE DOWNLIGHT TRIMLESS




INCLUDED COMPONENTS									
RMD - REMODEL					NCF - NEW CONSTRUCTION FRAME (FOR NEW CONSTRUCTION ONLY)				
									
MUDDING FLANGE	DRIVER ENCLOSURE	CEILING PLATE	LED ASSEMBLY	INSERT ASSEMBLY	MUDDING FLANGE	NEW CONSTRUCTION FRAM	BAR HANGERS	LED ASSEMBLY	INSERT ASSEMBLY
SH - SHALLOW HOUSING (FOR NEW CONSTRUCTION ONLY)					NC/IC - NEW CONSTRUCTION HOUSING (FOR NEW CONSTRUCTION ONLY)				
									
MUDDING FLANGE	SHALLOW HOUSING	BAR HANGERS	LED ASSEMBLY	INSERT ASSEMBLY	MUDDING FLANGE	NEW CONSTRUCTION HOUSING	BAR HANGERS (OPTIONAL)	LED ASSEMBLY	INSERT ASSEMBLY

INSTRUCTION KEY	INFORMATION
 ADDITIONAL	INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN
 ATTENTION	REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION
 POWER ON	FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY
 POWER OFF	DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS
	TURN OFF POWER DURING INSTALLATION OR SERVICING


RMD - REMODEL

1



FIXTURE TYPE	CEILING HOLE SIZE
DL33SA	3.9375 x 3.9375
DL40SA	5.0625 x 5.0625


2



CEILING CUTOUT

CEILING PLATE


3



CEILING PLATE

CEILING CUTOUT

4




LID

DRIVER ENCLOSURE

KNOCKOUT

REMOVE LID AND KNOCKOUT FROM DRIVER ENCLOSURE

5



DRIVER ENCLOSURE


CONDUIT

WIRING LEGEND

BLACK	HOT/LINE
WHITE	NEUTRAL
GREEN	GROUND
ORANGE	(DIM-)
PURPLE	(DIM+)

CONNECT CONDUIT TO DRIVER ENCLOSURE AND MAKE WIRING CONNECTIONS

6




DRIVER ENCLOSURE

CEILING PLATE

QUICK-CONNECT CABLE

SECURE LID ONTO DRIVER ENCLOSURE AND PLACE ABOVE CEILING


7



CEILING CUTOUT

DRYWALL SCREWS (BY OTHERS)

8




BLOCKING SUPPORT

CEILING (BY OTHERS)

DRYWALL SCREWS (BY OTHERS)

SECTION VIEW


9



APPLY MUDDING COMPOUND (BY OTHERS) TO CEILING


RMD - REMODEL

10




REMOVE 4 SCREWS FROM TRIM ASSEMBLY

11




11A












CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY








12



NCF - NEW CONSTRUCTION FRAME (FOR NEW CONSTRUCTION ONLY)




NCF - NEW CONSTRUCTION FRAME (FOR NEW CONSTRUCTION ONLY)




NC/IC - NEW CONSTRUCTION HOUSING (FOR NEW CONSTRUCTION ONLY)

1 BAR HANGER INSTALLATION
(IF SUPPLIED BY 3G)




1A




2

OTHER BAR HANGER INSTALLATION
(NOT PROVIDED BY 3G)



3




REMOVE ELECTRICAL BOX KNOCKOUT LID TO ACCESS WIRING

4


WIRING LEGEND

BLACK	HOT/LINE
WHITE	NEUTRAL
GREEN	GROUND
ORANGE	(DIM-)
PURPLE	(DIM+)

MAKE WIRING CONNECTIONS




5




FIXTURE TYPE	CEILING HOLE SIZE
DL33SA	3.9375 x 3.9375
DL40SA	5.0625 x 5.0625

INSTALL CEILING BELOW FIXTURE


6



7




8



APPLY MUDDING COMPOUND (BY OTHERS) TO CEILING


NC/IC - NEW CONSTRUCTION HOUSING (FOR NEW CONSTRUCTION ONLY)

9




REMOVE 4 SCREWS FROM TRIM ASSEMBLY

10




10A












CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY

11




SH - SHALLOW HOUSING (FOR NEW CONSTRUCTION ONLY)




SH - SHALLOW HOUSING (FOR NEW CONSTRUCTION ONLY)

10




REMOVE 4 SCREWS FROM TRIM ASSEMBLY

11




11A




CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY

12




LED ADJUSTMENT

1



LIFT LENS AND DETATCH INSERT FROM ADAPTER RING


1A



TRIM INSERT

2


ANGLE ADJUSTMENT



BOTTOM VIEW


TURN SCREW TO ADJUST LED ANGLE

2A



3

ROTATION ADJUSTMENT




BOTTOM VIEW

LOOSEN SCREW TO UNLOCK LED ASSEMBLY ROTATION


LED SERVICING

1




LIFT LENS AND DETATCH INSERT FROM ADAPTER RING

1A




2




REMOVE 4 SCREWS TO DETATCH LED ASSEMBLY FROM CEILING

2A




3




DISCONNECT QUICK-CONNECT CABLE FROM LED ASSEMBLY

4




TWIST REFLECTOR TO REMOVE

5




DRIVER SERVICING

1 RMD - REMODEL




⚡ DISCONNECT POWER BEFORE SERVICING

2




LIFT LENS AND DETACH INSERT FROM ADAPTER RING

2A




3




REMOVE 4 SCREWS TO DETACH LED ASSEMBLY FROM CEILING

3A




4




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY

4A




5




DRIVER SERVICING

1 NCF - NEW CONSTRUCTION FRAME




DISCONNECT POWER BEFORE SERVICING

2




LIFT LENS AND DETACH INSERT FROM ADAPTER RING

2A




3




REMOVE 4 SCREWS TO DETACH LED ASSEMBLY FROM CEILING

4




5




DISCONNECT QUICK-CONNECT CABLE FROM LED ASSEMBLY


6






7




8






DRIVER SERVICING

1 SH - SHALLOW HOUSING




⚡ DISCONNECT POWER BEFORE SERVICING

2




LIFT LENS AND DETATCH INSERT FROM ADAPTER RING

2A




3




REMOVE 4 SCREWS TO DETATCH LED ASSEMBLY FROM CEILING

4




5




DISCONNECT QUICK-CONNECT CABLE FROM LED ASSEMBLY

6




REMOVE DRIVER - SECURED WITH HOOK-AND-LOOP FASTENER

7




8



DISCONNECT 5-WIRE CONNECTOR


DRIVER SERVICING

1 NC/iC - NEW CONSTRUCTION HOUSING




DISCONNECT POWER BEFORE SERVICING

2




LIFT LENS AND DETATCH INSERT FROM ADAPTER RING

2A




3




REMOVE 4 SCREWS TO DETATCH LED ASSEMBLY FROM CEILING

4




5




DISCONNECT QUICK-CONNECT CABLE FROM LED ASSEMBLY

6



7



8

