

3.3”/4.0” SQUARE FIXED WALLWASH DOWNLIGHT

TRIMLESS




INCLUDED COMPONENTS

RMD - REMODEL




LED INSERT | MUDDING FLANGE | DRIVER ENCLOSURE | CEILING PLATE

NCF - NEW CONSTRUCTION FRAME (FOR NEW CONSTRUCTION ONLY)




LED INSERT | MUDDING FLANGE | NEW CONSTRUCTION FRAME | BAR HANGERS

SH - SHALLOW HOUSING (FOR NEW CONSTRUCTION ONLY)



LED INSERT | MUDDING FLANGE | SHALLOW HOUSING | BAR HANGERS

NC/IC - NEW CONSTRUCTION HOUSING (FOR NEW CONSTRUCTION ONLY)



LED INSERT | MUDDING FLANGE | NEW CONSTRUCTION HOUSING | BAR HANGERS (OPTIONAL)

INSTRUCTION KEY	INFORMATION
⚠ ADDITIONAL	INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN
ⓘ ATTENTION	REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION
⚡ POWER ON	FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY
⚡ POWER OFF	DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS
	TURN OFF POWER DURING INSTALLATION OR SERVICING


3G LIGHTING

3.3”/4.0” SQUARE FIXED WALLWASH DOWNLIGHT
TRIMLESS

INSTALLATION INSTRUCTIONS


RMD - REMODEL

1




FIXTURE TYPE	CEILING HOLE SIZE
DL33SWW	3.9375 x 3.9375
DL40SWW	5.0625 x 5.0625


2




3




4



5




6




APPLY MUDDING COMPOUND (BY OTHERS) TO CEILING

7



REMOVE LID AND KNOCKOUT FROM DRIVER ENCLOSURE

8




WIRING LEGEND

BLACK	HOT/LINE
WHITE	NEUTRAL
GREEN	GROUND
ORANGE	(DIM-)
PURPLE	(DIM+)


CONNECT CONDUIT TO DRIVER ENCLOSURE AND MAKE WIRING CONNECTIONS

9




SECURE LID ONTO DRIVER ENCLOSURE AND PLACE ABOVE CEILING

10



INSERT LED ASSEMBLY INTO CEILING


10A



CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY


RMD - REMODEL WITH REMOTE DRIVER ENCLOSURE

1 REMOTE DRIVER WIRING



FOR REMOTE EMR DRIVER BOX, MAKE WIRED CONNECTIONS INSIDE PROVIDED LED CONNECTION ENCLOSURE

2



MAKE WIRING CONNECTIONS


3G LIGHTING

3.3”/4.0” SQUARE FIXED WALLWASH DOWNLIGHT
TRIMLESS


INSTALLATION INSTRUCTIONS

NCF - NEW CONSTRUCTION FRAME (FOR NEW CONSTRUCTION ONLY)

1




2




SECURE BAR HANGERS IN PLACE WITH SCREW

3




BAR HANGERS HAVE 14” to 26” EXTENSION

4



REMOVE ELECTRICAL BOX LID TO ACCESS WIRING

5




WIRING LEGEND

BLACK	HOT/LINE
WHITE	NEUTRAL
GREEN	GROUND
ORANGE	(DIM-)
PURPLE	(DIM+)


MAKE WIRING CONNECTIONS

6 FOR INTEGRATED BATTERY ONLY




ACCESS ABOVE CEILING REQUIRED FOR BATTERY SERVICING

6A



REMOVE BATTERY BOX COVER TO ACCESS WIRING

7




EMB WIRING LEGEND

RED	UNSWITCHED HOT
BLACK	SWITCHED HOT
WHITE	NEUTRAL
GREEN	GROUND
ORANGE	(DIM-)
PURPLE	(DIM+)

MAKE WIRING CONNECTIONS


8




FIXTURE TYPE	CEILING HOLE SIZE
DL33SWW	3.9375 x 3.9375
DL40SWW	5.0625 x 5.0625

INSTALL CEILING BELOW FIXTURE


9



9A




10




APPLY MUDDING COMPOUND (BY OTHERS) TO CEILING

11



INSERT LED ASSEMBLY INTO CEILING

11A



CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY


3G LIGHTING

3.3”/4.0” SQUARE FIXED WALLWASH DOWNLIGHT
TRIMLESS


INSTALLATION INSTRUCTIONS

SH - SHALLOW HOUSING (FOR NEW CONSTRUCTION ONLY)

1




2




SECURE BAR HANGERS IN PLACE WITH SCREW

3




4



REMOVE ELECTRICAL BOX KNOCKOUT LID TO ACCESS WIRING

4A




WIRING LEGEND

BLACK	HOT/LINE
WHITE	NEUTRAL
GREEN	GROUND
ORANGE	(DIM-)
PURPLE	(DIM+)

MAKE WIRING CONNECTIONS


5




FIXTURE TYPE	CEILING HOLE SIZE
DL33SWW	3.9375 x 3.9375
DL40SWW	5.0625 x 5.0625

INSTALL CEILING BELOW FIXTURE


6



6A




7




APPLY MUDDING COMPOUND (BY OTHERS) TO CEILING

7



INSERT LED ASSEMBLY INTO CEILING

7A



CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY


3G LIGHTING

3.3”/4.0” SQUARE FIXED WALLWASH DOWNLIGHT
TRIMLESS


INSTALLATION INSTRUCTIONS

NC/IC - NEW CONSTRUCTION HOUSING (FOR NEW CONSTRUCTION ONLY)


1 BAR HANGER INSTALLATION
(IF SUPPLIED BY 3G)



1A




2 OTHER BAR HANGER INSTALLATION
(NOT PROVIDED BY 3G)




BUTTERFLY BRACKET
SIDE VIEW

3



REMOVE ELECTRICAL BOX KNOCKOUT LID TO ACCESS WIRING

3A




WIRING LEGEND

BLACK	HOT/LINE
WHITE	NEUTRAL
GREEN	GROUND
ORANGE	(DIM-)
PURPLE	(DIM+)

MAKE WIRING CONNECTIONS


4




FIXTURE TYPE	CEILING HOLE SIZE
DL33SWW	3.9375 x 3.9375
DL40SWW	5.0625 x 5.0625

INSTALL CEILING BELOW FIXTURE


5



5A




6




APPLY MUDDING COMPOUND (BY OTHERS) TO CEILING

8



INSERT LED ASSEMBLY INTO CEILING


8A



CONNECT SAFETY CABLE & QUICK-CONNECT CABLE TO LED ASSEMBLY


LED SERVICING

1




REMOVE LED ASSEMBLY FROM CEILING

2




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY

3




DRIVER SERVICING

1 **RMD -** REMODEL




DISCONNECT POWER BEFORE SERVICING

2




REMOVE LED ASSEMBLY FROM CEILING

2A




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY

3




4




DRIVER SERVICING

1 **NCF -** NEW CONSTRUCTION FRAME




DISCONNECT POWER BEFORE SERVICING

2




REMOVE LED ASSEMBLY FROM CEILING

2A




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY


3




4



5




5A



DISCONNECT 5-WIRE CONNECTOR


6 **NCF -** NEW CONSTRUCTION FRAME
FOR INTEGRATED BATTERY ONLY

THIS UNIT UTILIZES MORE THAN ONE POWER SOURCE
DISCONNECT ALL POWER SOURCES BEFORE SERVICING



ACCESS ABOVE CEILING REQUIRED FOR DRIVER SERVICING


7



REMOVE BATTERY BOX COVER TO ACCESS WIRING


DRIVER SERVICING

1 **SH -** SHALLOW HOUSING




DISCONNECT POWER BEFORE SERVICING

2




REMOVE LED ASSEMBLY FROM CEILING

2A




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY

3




REMOVE DRIVER - SECURED WITH HOOK-AND-LOOP FASTENER

4




4A



DISCONNECT 5-WIRE CONNECTOR


DRIVER SERVICING

1 **NC -** NEW CONSTRUCTION HOUSING




DISCONNECT POWER BEFORE SERVICING

2




REMOVE LED ASSEMBLY FROM CEILING

2A




DISCONNECT SAFETY CABLE & QUICK-CONNECT CABLE FROM LED ASSEMBLY


3




4



5



5A



DISCONNECT 5-WIRE CONNECTOR