



3G-1RLI-WC

1.5" RECESSED LINIA WALL TO CEILING

FLANGELESS



⚠

FOR **NEW CONSTRUCTION** INSTALLATION ONLY

i

THE IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSES ONLY AND MAY NOT BE AN EXACT REPRESENTATION OF THE PRODUCT

FIXTURE TYPES	INCLUDED COMPONENTS
<div>1RLI PROFILE</div> <div></div>	<div></div> <div>CEILING SECTION(S)WALL SECTION(S)LENS</div>


INSTRUCTION KEY	INFORMATION
<div>⚠</div> ADDITIONAL	INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN
<div>i</div> ATTENTION	REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION
<div>⚡</div> POWER ON	FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY
<div>⚡</div> POWER OFF	DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS
	TURN OFF POWER DURING INSTALLATION OR SERVICING

www.3GLIGHTING.com | P: 905-850-2305 TF: 888-448-0440

12/23/2025


OVERVIEW

3G-1RLI - FLANGELESS - FX



INSTALLATION INSTRUCTIONS


FLANGELESS - FX - CEILING SECTION



FLANGELESS - FX - CEILING CUT-OUT DIMENSIONS

FIXTURE TYPE	WIDTH	LENGTH
3G-1RLI	1.600"	LENGTH + 0.125"





FLANGELESS - FX - WALL SECTION





















FLANGELESS - FX - CEILING CUT-OUT DIMENSIONS

FIXTURE TYPE	WIDTH	LENGTH
3G-1RLI	1.600"	LENGTH + 0.125"


ASYMMETRIC LENS ORIENTATION









9D










10



11



DRIVER SERVICING



LED SERVICING - DIRECT

