



3G-1RLI-WC
1.5" RECESSED LINIA WALL TO CEILING
TRIMLESS FLANGE



⚠

FOR **NEW CONSTRUCTION** INSTALLATION ONLY

ℹ


THE IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSES ONLY AND MAY NOT BE AN EXACT REPRESENTATION OF THE PRODUCT

FIXTURE TYPES	INCLUDED COMPONENTS
<div>1RLI PROFILE</div>	<div>CEILING SECTION(S)WALL SECTION(S)LENS</div>


INSTRUCTION KEY	INFORMATION
<div><div><div>⚠</div><div>ADDITIONAL</div></div><div><div>ℹ</div><div>ATTENTION</div></div><div><div>⚡</div><div>POWER ON</div></div><div><div>🔌</div><div>POWER OFF</div></div></div>	<div>INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN</div> <div>REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION</div> <div>FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY</div> <div>DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS</div> <div>TURN OFF POWER DURING INSTALLATION OR SERVICING</div>

OVERVIEW

3G-1RLI - TRIMLESS - XTR




TRIMLESS - XTR - CEILING SECTION



TRIMLESS - XTR - CEILING CUT-OUT DIMENSIONS


FIXTURE TYPE	WIDTH	LENGTH
3G-1RLI	2.250"	LENGTH + 0.500"



BLOCKING SUPPORT SPACING

FIXTURE TYPE	MIN. DISTANCE	MAX DISTANCE
3G-1RLI	2.25"	2.55"





TRIMLESS - XTR - WALL SECTION





















TRIMLESS - XTR - WALL CUT-OUT DIMENSIONS

FIXTURE TYPE	WIDTH	LENGTH
3G-1RLI	2.250"	LENGTH + 0.500"


ASYMMETRIC LENS ORIENTATION








10




11



i SECURE FLANGES TO CEILING USING APPROPRIATE SCREW FOR HARD SURFACE, PER LOCAL BUILDING CODES.


12










i APPLY COMPOUND AS REQUIRED FOR TRIMLESS INSTALLATION

i PROTECT LED DURING MUDDING COMPOUND APPLICATION

13



DRIVER SERVICING



LED SERVICING - DIRECT

