













3G-1PLI 1.5" PENDANT LINIA

DIRECT
DIRECT/INDIRECT
INDIRECT




FIXTURE TYPES		INCLUDED COMPONENTS	
<p>3G-1PLI-PROFILE</p> 		<p>Standalone Fixture (2' to 8')</p>  <p>STANDALONE LENS</p>	<p>Continuous Runs (9' to 16')</p>  <p>STARTER ENDER LENS</p>
<p>Continuous Runs (17' and longer)</p>  <p>STARTER JOINER ENDER LENS</p>		<p>Power feed kit</p>  <p>FOR GRID CEILING APPLICATION</p>	<p>Non - Power feed kit</p>  <p>FOR GRID CEILING APPLICATION</p>


INSTRUCTION KEY	INFORMATION
 ADDITIONAL	INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS TURN OFF POWER DURING INSTALLATION OR SERVICING
 ATTENTION	
 POWER ON	
 POWER OFF	

OVERVIEW


3G-1PLI - DRYWALL SUSPENSION




POWER FEED SUSPENSION




NON - POWER FEED SUSPENSION




3G-1PLI - GRID CEILING - GCX



POWER FEED SUSPENSION




NON - POWER FEED SUSPENSION




ASYMMETRIC LENS ORIENTATION

3G-1PLI - ASYMMETRIC LENS


ROOM SIDE DISTRIBUTION




ASYMMETRIC LENS



WALL GRAZING DISTRIBUTION




ASYMMETRIC LENS



SUSPENSION CABLE LOCATION


STANDALONE

STANDALONE
AT 0.25" FROM EACH END OF LENGTH



STARTER, JOINER, and ENDER

STARTER/JOINER/ENDER
AT 0.125" FROM EACH END OF SECTION LENGTH



IDENTIFICATION AND PREPARATION

ID LABEL

TYPE: XX XX
ID: 01 OF 03 CO-0000

SECTION ID NUMBER ORDER NUMBER ORDER TYPE

 IDENTIFY FIXTURE SECTIONS BY THE ID LABELS FOUND ON THE BOX INSIDE THE SECTIONS

ID LABEL

SECTION: 01 OF 03
TYPE: XX XX CO-0000




STARTER


JOINER

ENDER


1 DRYWALL SUSPENSION - POWER FEED




1A




2 DRYWALL SUSPENSION - NON-POWER FEED



2A




3 LENS REMOVAL




i REPEAT THIS STEP TO ALL SECTIONS


3A



4




5












i FOR 3G-4PLI-DASY FIXTURES SEE PAGE 4 BEFORE MOUNTING

5A




i ADJUST CABLE LENGTH AND LOCK IN PLACE WITH LOCKING NUT




10C

⚠ MECHANISM IS NOT INTENDED TO
PULL SECTIONS TOGETHER




ⓘ LEVEL FIXTURES BEFORE ENGAGING
HOOK & LATCH MECHANISM


11




12




13




1 GRID CEILING SUSPENSION - POWER FEED




1A




2 GRID CEILING SUSPENSION - NON-POWER FEED




2A




3 LENS REMOVAL




3A




4












5




5A






10C

⚠ MECHANISM IS NOT INTENDED TO
PULL SECTIONS TOGETHER




ⓘ LEVEL FIXTURES BEFORE ENGAGING
HOOK & LATCH MECHANISM


11










12












13



DRIVER SERVICING




LED SERVICING - DIRECT




LED SERVICING - INDIRECT


1 INDIRECT LENS REMOVAL




2




3




4




5




6



7



8



LED SERVICING - INDIRECT - ASYMMETRIC AND WIDE SPREAD OPTIC

1

2

OPTIC

3

i PRESS DOWN ON TAB TO RELEASE WIRES FROM LED

4

LED BOARD

5

NEW LED BOARD

6

OPTIC

RECONNECT WIRES AND SECURE LED BOARDS TO FIXTURE

7

ROOM SIDE DISTRIBUTION

i APPLICABLE FOR INDIRECT ASYMMETRIC OPTIC INSTALLATION

WALL GRAZING DISTRIBUTION

i APPLICABLE FOR INDIRECT ASYMMETRIC OPTIC INSTALLATION