

## 3.3" SQUARE ZOIE PENDANT


CABLE PENDANT MOUNT




THE IMAGES SHOWN ARE FOR ILLUSTRATION ONLY AND MAY NOT BE AN EXACT REPRESENTATION OF THE PRODUCT

### COMPONENTS


#### STANDARD CANOPY




#### CONDUIT FEED CANOPY



#### POWER CANOPY













#### 4" OCTAGONAL J-BOX REQUIRED FOR INSTALLATION




JUNCTION BOX (BY OTHERS)

INSTRUCTION KEY	INFORMATION
⚠	ADDITIONAL
ⓘ	ATTENTION
⚡	POWER ON
⚡	POWER OFF
	<p>INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN</p> <p>REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION</p> <p>FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY</p> <p>DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS</p> <p>TURN OFF POWER DURING INSTALLATION OR SERVICING</p>












**1 CONDUIT FEED CANOPY**



**2**




**3**




ENSURE CANOPY CLIPS ALIGN WITH BRACKET

**4**




CONNECT CANDUIT CANOPY AND FEED  
JUNCTION BOX WIRES THROUGH HOLE

**5**



**!** CANOPY IS SUITABLE FOR  
MAXIMUM 3 CONDUIT FEEDS

**6 POWER CANOPY**




**WIRING LEGEND**


BLACK	HOT/LINE
WHITE	NEUTRAL
GREEN	GROUND
ORANGE	(DIM-)
PINK	(DIM-)
BLUE	(DIM-)
PURPLE	(DIM+)
RED	(DIM+)

**⚡** MAKE WIRING CONNECTIONS


**7**









**8**




**9**






## DRIVER SERVICING




## LED SERVICING




**DRIVER SERVICING**


**1**



**2**



**3**



**4**

