






**3.3"/4.5" WALL
ZOIE CYLINDER**
DIRECT OR INDIRECT



COMPONENTS



4" OCTAGONAL J-BOX REQUIRED FOR INSTALLATION











JUNCTION BOX (BY OTHERS)

INSTRUCTION KEY

INFORMATION


- ⚠️ ADDITIONAL
- ℹ️ ATTENTION
- ⚡ POWER ON
- ⏻ POWER OFF

INSTALLATION SHOULD ONLY BE PERFORMED BY A CERTIFIED ELECTRICIAN
REFER TO LOCAL/NATIONAL CODES FOR PROPER INSTALLATION
FAILURE TO FOLLOW INSTALLATION INSTRUCTION MAY VOID THE WARRANTY
DO NOT TOUCH LEDS. LEDS MUST BE PROTECTED FROM MECHANICAL STRESS OR DEBRIS
TURN OFF POWER DURING INSTALLATION OR SERVICING




LED SERVICING - DIRECT - INDIRECT - DIRECT/INDIRECT


1




2




3



4




5



DISCONNECT QUICK-CONNECT CABLE
FROM LED ASSEMBLY

DRIVER SERVICING - DIRECT OR INDIRECT ONLY



DRIVER SERVICING - DIRECT/INDIRECT

